

XM1255

Offering three solutions in one easy-to-use package, the XM1255 makes applying adhesive to mockups, storyboards, or comps up to 11.75" wide fast and easy.

Instantly applies laminate, adhesive or both without heat or electricity. Simply feed the item in, turn the handle, and trim. No smell, no mess, no waiting.

- Aggressive adhesive, coupled with high pressure rollers, improves both transfer and bonding quality
- Patented drop-in cartridges allow quick and easy application changes
- Even, edge-to-edge adhesive application
- Environmentally safe



As easy as 1, 2, 3



1. Insert Item



2. Turn Handle



3. Trim

XM1255

Product Specifications

| | |
|--------------------------------|--|
| Footprint | 10.5" x 13" x 15" (26.7cm x 33cm x 38.1cm) |
| Weight/Packed Weight | 14.75lbs (6.6kg) / 18.25lbs (8.2kg) |
| Document Thickness (max.) | 0.125" (3.2mm) |
| Finished Document Width (max.) | 11.75" (29.8cm) |
| Power Requirements | None |
| Cutter | Removable, replaceable cutter |



Product Supply Description

- **Permanent High-Tack Adhesive:** Extremely aggressive adhesive instantly creates a permanent bond on most surfaces. Sets instantly and will not peel. Acid-Free.
- **Permanent Standard Adhesive:** Moderately aggressive adhesive creates a permanent bond on most surfaces. Can be touched to surface, peeled back quickly, and replaced. Acid-Free.
- **Repositionable Adhesive:** Allows items to be repositioned over and over. Easy removal from glass, walls, paper, and most other surfaces. Acid-Free.
- **Standard Use Laminate:** High gloss film suitable for use on a variety of substrates. Superior adhesion. Compatible with most media. Acid-Free.
- **Combination — Laminate/Adhesive:** One of the laminate products described on the top surface and one of the Acid-Free adhesives described on the bottom surface. Acid-Free.

The XM1255 is your complete professional document finishing system. Instantly applies laminate, adhesive or both. Perfect for presentations, comps, packaging mockups, signs, displays, and short-run labels.

| Part Number | Product Description | Material Length | Material Width | Laminate & Adhesive Combination Thickness (per side) | Mounting Adhesive Thickness | Adhesive pH | Mounting Adhesive Strength (1:10; 10-high) | PAT Approved |
|--|--|-----------------|-----------------|--|-----------------------------|-------------|--|--------------|
| Adhesive Application Cartridges | | | | | | | | |
| ● AT1251-100 | Permanent High-Tack | 100' (30.5m) | 12" (30.5cm) | N/A | 0.6mil (15.2mic) | Acid-Free | 10 | Yes |
| ● AT1255-100 | Permanent Standard | 100' (30.5m) | 12" (30.5cm) | N/A | 0.6mil (15.2mic) | Acid-Free | 8 | Yes |
| ● AT1256-100 | Repositionable | 100' (30.5m) | 12" (30.5cm) | N/A | 1.1mil (27.9mic) | Acid-Free | 3 | Yes |
| Laminate Cartridges | | | | | | | | |
| ● DL1251-150 | 2-Sided Standard Use Laminate | 150' (95.7m) | 12" (30.5cm) | 2.7mil (67.5mic) | N/A | Acid-Free | N/A | Yes |
| Combination One Side Lamination / One Side Adhesive Application | | | | | | | | |
| ● LAT1251-100 | 1 Side Standard Use Laminate 1 Side High-Tack Adhesive | 100' (30.5m) | 12" (30.5cm) | 2.7mil (67.5mic) | 0.6mil (15.2mic) | Acid-Free | 10 | Yes |
| ● LAT1256-100 | 1 Side Standard Use Laminate 1 Side Repositionable Adhesive | 100' (30.5m) | 12" (30.5cm) | 2.7mil (67.5mic) | 1.1mil (27.9mic) | Acid-Free | 3 | Yes |
| Cutter | | | | | | | | |
| 2342.01 | Replaceable Cutter Bar and Blade Assembly | | | | | | | |
| 2343.01 | Replacement Tray | | | | | | | |

Your authorized Xyron Dealer

www.xyronpro.com | 1.800.793.3523



Xyron 1255

NO ELECTRICITY, NO WARM UP, NO ODOR, NO WRINKLING & NO BURNT FINGERTIPS! HAND CRANK SYSTEM MAKES OPERATION SIMPLE AND SAFE EVEN FOR KIDS TO USE. FAST & EASY TO LOAD TOO!

A full 12" wide, Professional Cold Lamination System

Whether applying adhesive in the studio or laminating in the classroom, the Xyron 1255 is the solution. This easy-to-use system instantly applies adhesive, laminates or does both at the same time without heat or electricity. Simply feed in an item, turn the handle and trim. No smell, no mess, no waiting. The patented drop-in cartridges allow users to quickly switch between applications, making the Xyron 1255 the most versatile machine on the block.

| Product Number | Product Description | Sugg Retail | Our Price | All 1255 cartridges will work with the Xyron Pro 1250 laminator | | |
|---------------------|--|-------------|-------------------------|---|-------------|-----------|
| XRN 1255 | Xyron 1255 Laminator, 12" wide | 484.99 | \$424.37 Special | | | |
| Basic Cartridges | | Sugg Retail | Our Price | 3 to 5 sets | 6 to 9 sets | 10 + sets |
| DL1251-150 | Two sided lamination-general use-150' cartridge | 99.00 | 89.09 | 86.12 | 84.14 | 82.16 |
| LAT1251-100 | One sided laminate / one side adhesive application-HI Tack 100' cartridge | 109.00 | 98.09 | 94.82 | 92.64 | 90.46 |
| LAT1256-100 | One sided laminate/one side adhesive application - re positionable, acid free 100' | 125.00 | 112.49 | 108.74 | 106.24 | 103.74 |
| Adhesive Cartridges | | Sugg Retail | Our Price | 3 to 5 sets | 6 to 9 sets | 10 + sets |
| AT-1251-100 | Adhesive Application- High Tack 100" cartridge | 97.00 | 95.05 | 92.14 | 90.20 | 85.35 |
| AT 1255-100 | Adhesive application, Acid Free High Tack | 97.00 | 95.05 | 92.14 | 90.20 | 85.35 |
| AT1256-100 | Adhesive Application—repositionable, acid free 100' cartridge | 115.00 | 112.69 | 109.24 | 106.94 | 101.19 |

Xyron 1255
Specifications:

Footprint: 13"L x 15"W
 Weight: Approx. 16.5 lb
 Pac'd Weight: Approx. 20 lb
 Document Thickness (Max): 0.125"
 Document Width (max.): 12"
 Document Length (max.): 150'

The Xyron 1255 comes with a manufacturers warranty of 1 full year.



Please ask for GSA & DOD E Mall pricing

Bright White Paper Co.

P.O. Box 2472, Palm City, FL 34991
 Toll Free (800) 321-5716
 Fax (772)223-4040
 International (772) 223-5511
www.brightwhitepaper.com
www.laminatingmachines.info

We gladly accept purchase orders with prior approval, School PO's are always welcome



Updated June 07

Most refill cartridges are in stock and can be shipped same day at no additional