


XM2500


Offering three solutions in one easy-to-use package, the XM2500 makes professional document, signage and poster finishing up to 25" wide fast and easy.

Instantly applies laminate, adhesive or both without heat or electricity. Simply feed the item in, turn the handle, and trim. No smell, no mess, no waiting.

- Aggressive adhesive, coupled with high pressure rollers, improves both transfer and bonding quality
- Patented supplies allow quick and easy application changes
- Even, edge-to-edge adhesive application
- Environmentally safe



As easy as 1, 2, 3



1. Insert Item



2. Turn Handle



3. Trim

XM2500

Product Specifications

Footprint	18.5" x 28.125" x 15" (47cm x 71.4cm x 38.1cm)
Weight/Packed Weight	90lbs (40.8kg) / 105lbs (47.6kg)
Document Thickness (max.)	0.10" (2.5mm) Up to 3/16" foam core with tray removed
Finished Document Width (max.)	25" (63.5cm)
Power Requirements	None
Cutter	Removable, replaceable cutter



Product Supply Description

- **Permanent High-Tack Adhesive:** Extremely aggressive adhesive instantly creates a permanent bond on most surfaces. Sets instantly and will not peel. Acid-Free.
- **Permanent Standard Adhesive:** Moderately aggressive adhesive creates a permanent bond on most surfaces. Can be touched to surface, peeled back quickly, and replaced. Acid-Free.
- **Repositionable Adhesive:** Allows items to be repositioned over and over. Easy removal from glass, walls, paper, and most other surfaces. Acid-Free.
- **Standard Use Laminate:** High-gloss film suitable for use on a variety of substrates. Superior adhesion. Compatible with most media. Acid-Free.
- **Thermal Print Sensitive Laminate:** High-gloss film suitable for use on thermal print sensitive items. Acid-Free.
- **Combination—Laminate/Adhesive:** One of the laminate products described on the top surface and one of the acid-free adhesives described on the bottom surface. Acid-Free.

The XM2500 is your complete professional document finishing system. Instantly applies laminate, adhesive or both without heat or electricity. Perfect for posters, displays, mockups, banners and signs, advertisements, POP displays, and presentation-board.

Part Number	Product Description	Material Length	Material Width	Adhesive Combination Thickness (per side)	Mounting Adhesive Thickness	Adhesive pH	Mounting Adhesive Strength (1:10; 10-high)	PAT Approved
Adhesive Application Roll Set								
● AT400-300	Permanent High-Tack	300' (91.4m)	24.9" (63.4cm)	N/A	0.6mil (15.2mic)	Acid-Free	10	Yes
● AT405-300	Permanent Standard	300' (91.4m)	24.9" (63.4cm)	N/A	0.6mil (15.2mic)	Acid-Free	8	Yes
● AT406-170	Repositionable	170' (51.8m)	24.9" (63.4cm)	N/A	1.1mil (27.9mic)	Acid-Free	3	Yes
Lamination Cartridges								
● DL403-300	2-Sided Standard Use Laminate	300' (91.4m)	25.3" (64.3cm)	2.7mil (67.5mic)	N/A	Acid-Free	N/A	Yes
● DL404-300	2-Sided Thermal Print Sensitive Laminate General Use	300' (91.4m)	24.9" (63.4cm)	2.7mil (67.5mic)	N/A	Acid-Free	N/A	Yes
Combination One Side Laminate / One Side Adhesive Application								
● LAT405-300	1 Side Standard Use Laminate 1 Side High-Tack Adhesive	300' (91.4m)	25.3" (64.3cm)	2.7mil (67.5mic)	0.6mil (15.2mic)	Acid-Free	10	Yes
● LAT409-170	1 Side Laminate 1 Side Repositionable Adhesive	170' (91.4m)	25.3" (64.3cm)	2.7mil (67.5mic)	0.6mil (15.2mic)	Acid-Free	3	Yes

Your authorized Xyron Dealer

www.xyronpro.com | 1.800.793.3523



Xyron 2500

NO ELECTRICITY, NO WARM UP, NO ODOR, NO WRINKLING & NO BURNT FINGERTIPS! HAND CRANK SYSTEM MAKES OPERATION SIMPLE AND SAFE EVEN FOR KIDS TO USE. FAST & EASY TO LOAD TOO!

A full 25” wide, Professional Cold Lamination System

Offering three solutions in one easy-to-use package, the Xyron 2500 has just made document and poster finishing fast and easy. The Xyron 2500 instantly applies adhesive, laminates or does both at the same time without heat or electricity. Simply insert a document, turn the handle, trim and you're done. The patented supplies allow users to quickly and easily change between applications. The Xyron 2500 is the one machine for all your finishing needs.

Xyron 2500

Specifications:

Footprint: 15"L x 27.8"W
Weight: Approx. 90 lb, **Pac'd Weight:** 105 lb
Document Thickness (Max): 0.10" (2.54 mm) Up to 3/16" foam core with tray removed
Document Width (max.): 25" (63.5 cm)
Document Length (max.): 300' (91.4 m)

The Xyron 2500 comes with a manufacturers warranty of 1 year.

Product Number	Product Description	Sugg Retail	Our Pricing	Please ask about our school specials		
XRN 2500	Xyron 2500 Laminator, 25” wide	1599.99	\$1499.99 Special			
Basic Roll Sets		Sugg Retail	Our Pricing	3 to 5 sets	6 to 9 sets	10 + sets
DL 403-300	Two sided lamination-general use-300’ roll set	257.00	214.99			
DL 404-300	Two sided lamination-Direct Thermal Sensitive -300’ roll set	267.76	229.99			
LAT405-300	One sided laminate / one side adhesive application-HI Tack 300’ roll set	403.00	394.93	382.84	374.78	366.72
LAT409-170	One sided laminate/one side adhesive application - re positionable, acid free 170’	400.40	445.89	432.24	423.14	414.04
Adhesive Roll Sets						
AT400-300	Adhesive Application– High Tack 300’ roll	349.00	342.01	331.54	324.56	317.58
AT 405-300	Adhesive application, Acid Free High Tack, 300’ roll	349.00	342.01	331.54	324.56	317.58
AT406-170	Adhesive Application— repositionable, acid free 170’ roll	375.00	367.49	356.24	348.74	341.24



Please ask for GSA pricing

Bright White Paper Co.

P.O. Box 2472, Palm City, FL 34991

Toll Free (800) 321-5716

Fax (772)223-4040

International (772) 223-5511

www.brightwhitepaper.com

www.laminatingmachines.info

We gladly accept purchase orders with prior approval, School PO’s are always Welcome



Most roll sets are in stock and can be shipped same day at no additional charges.