

XM4400

Offering three solutions in one easy-to-use package, the XM4400 makes professional document, signage and poster finishing up to 42" wide fast and easy.

Instantly applies laminate, adhesive or both without heat. Simply feed the item, push the button and trim. No smell, no mess, no waiting.


- Aggressive adhesive, coupled with high pressure rollers, improves both transfer and bonding qualities
- Patented supplies allow quick and easy application changes
- Even, edge-to-edge adhesive application
- Environmentally safe



As easy as 1, 2, 3



1. Insert Item



2. Press Button



3. Trim

XM4400

Product Specifications

Footprint	50.5" x 11" x 14.5" (129cm x 48cm x 37cm)
Weight/Packed Weight	155lbs (70kg) / 200lbs (91kg)
Document Thickness (max.)	0.10" (2.5mm) Up to 3/16"
Finished Document Width (max.)	42" (109.2cm)
Power Source	Electric
Cutter	Removable, replaceable cutter



Product Supply Description

- **Permanent High-Tack Adhesive:** Extremely aggressive adhesive instantly creates a permanent bond on most surfaces. Sets instantly and will not peel. Acid-Free.
- **Repositionable Adhesive:** Allows items to be repositioned over and over. Easy removal from glass, walls, paper, and most other surfaces. Acid-Free.
- **Standard Use Laminate:** A high gloss film suitable for use on a variety of substrates. Superior adhesion. Compatible with most media. Acid-Free.
- **Combination—Laminate/Adhesive:** One of the laminate products described on the top surface and one of the acid-free adhesives described on the bottom surface. Acid-Free.

The XM4400 is your complete professional document finishing system. Instantly applies laminate, adhesive or both without heat. Perfect for posters, displays, mockups, banners, signs and other large-format output.

Part Number	Product Description	Material Length	Material Width	Laminate & Adhesive Combination Thickness (per side)	Mounting Adhesive Thickness	Adhesive pH	Mounting Adhesive Strength (1:10; 10-high)	PAT Approved
Adhesive Application Roll Set								
● AT4301-300	Permanent High-Tack	300' (91.4m)	42" (106.6cm)	N/A	0.6mil (15.2mic)	Acid-Free	10	Yes
● AT4306-170	Repositionable	170' (51.8m)	42" (106.6cm)	N/A	1.1mil (27.9mic)	Acid-Free	3	Yes
Laminate Cartridges								
● DL3800-300	2-Sided Standard Use Laminate	300' (91.4m)	38" (96.5cm)	2.7mil (67.5mic)	N/A	Acid-Free	N/A	Yes
● DL4300-300	2-Sided Standard Use Laminate	300' (91.4m)	42" (106.6cm)	2.7mil (67.5mic)	N/A	Acid-Free	N/A	Yes
Combination One Side Laminate / One Side Adhesive Application								
● LAT3801-300	1 Side Standard Use Laminate 1 Side High-Tack Adhesive	300' (91.4m)	38" (96.5cm)	2.7mil (67.5mic)	0.6mil (15.2mic)	Acid-Free	10	Yes
● LAT4301-300	1 Side Standard Use Laminate 1 Side High-Tack Adhesive	300' (91.4m)	42" (106.6cm)	2.7mil (67.5mic)	0.6mil (15.2mic)	Acid-Free	10	Yes

Your authorized Xyron Dealer

www.xyronpro.com | 1.800.793.3523

Xyron 4400

**COLD LAMINATION SYSTEM, 38" & 43" WIDE LAMINATE ROLLS
NO WARM UP, NO ODOR, NO WRINKLING, NO BURNT FINGERTIPS!**



Product Number	Product Description	Sugg Retail	Our Pricing	Further discounts on multiple machines, please ask for pricing		
XRN4400	Xyron 4400 Laminator, 44" wide includes mobile stand	4999.99	4299.99			
38" wide Lamination roll		Sugg Retail	Our Pricing	3 + Sets	6 to 9 sets	10 + sets
DL3800-300	Two sided lamination-general use-38" x 300' roll set	419.00	398.04	389.66	377.09	Please ask
LAT3806-170	One sided laminate/one side adhesive application Re Positionable, Acid Free 38" x 170' set	669.00	635.54	622.16	602.09	Please ask
LAT3801-300	One sided laminate / one side adhesive application-HI Tack 38" x 300' roll set	629.00	597.54	584.96	566.00	Please ask
42" wide Lamination roll						
DL4300-300	Two sided lamination-general use 42" x 300' roll set	485.00	460.74	451.04	436.49	Please ask
LAT4301-300	One sided laminate / one side adhesive application-HI Tack 42" x 300' roll set	707.00	671.64	657.50	636.29	Please ask
AT 4306-170	Adhesive application-re positionable 42" x 170'	693.00	658.34	644.48	623.69	Please ask
AT 4301-300	Adhesive Application High Tach 42" x 300'	619.00	588.04	575.66	557.09	Please ask

The Xyron 4400 laminates or applies adhesive to items up to 44" wide. Great for finishing wide format printed documents. POP, signage and other large documents are finished quickly and cleanly. Change roll sets to change applications. Includes stand and input tray

Offering three solutions in one easy to use package, the Xyron 4400 makes large document and poster finishing fast and easy. The Xyron 4400 instantly applies matte or gloss laminates, adhesives or both without heat. The width is adjustable to accommodate 42" & 38" documents. Input roller arms allow rolls of documents to be easily finished. Large input tray with alignment markers and adjustable edge guide aid in document feeding. The patented supplies allow users to quickly and easily change between applications. The Xyron 4400 is the one machine for all your document finishing needs.

Supply Descriptions:

Gloss Laminate: A high gloss film suitable for use on a variety of substrates. The film has superior adhesion, excellent clarity and is compatible with most media

Matte Laminate: A high end clear laminate with minimal reflection. A versatile film suitable for both indoor and outdoor use

High Tack Mounting Adhesive: An aggressive adhesive that instantly creates a permanent bond on most surfaces. Has excellent clarity and a pH in the range of 5.0-7.0.

Re Positionable Mounting Adhesive: Works similar to the other patented Xyron mounting adhesive products but allows you to reposition your item over and over, It will allow easy removal from glass, walls, paper and most other surfaces.

Combination One Side Lamination / One Side Adhesive \ Application: Xyron's general use laminate on the top surface and one of the mounting adhesives described above.

Updated June 1, 2009

Xyron 4400

Specifications

Footprint: 51"L x 19"W x 17"H

Weight: Approx. 178 lb

Packaged Weight: 200 lb

Document Thickness (Max): 0.10"

(2.54 mm) Up to 3/16"

Bright White Paper Co. P.O. Box 2472, Palm City, FL 34991
Toll Free (800) 321-5716 Fax (772) 223-4040 International (772) 223-5511
www.laminatingmachines.info